



"RESPONSE UNDER 37 CFR 1.116-
EXPEDITED PROCEDURE EXAMINING
GROUP 2615"

Docket No. 210829US2

IN RE APPLICATION OF: Tomofumi KITAZAWA, et al.

SERIAL NO: 09/901,098

FILED: July 10, 2001

FOR: IMAGING APPARATUS, AND METHOD AND DEVICE FOR SHAKE CORRECTION IN IMAGING APPARATUS

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

Corres. and Mail
BOX AF

RECEIVED

NOV 10 2004

Technology Center 2600

SIR:

Transmitted herewith is an amendment after final in the above-identified application.

- ☐ No additional fee is required
- ☐ Small entity status of this application under 37 C.F.R. §1.9 and §1.27 is claimed.
- ☒ Additional documents filed herewith: Appendix
Information Disclosure Statement
List of Related Cases

The Fee has been calculated as shown below:

CLAIMS	CLAIMS REMAINING		HIGHEST NUMBER PREVIOUSLY PAID	NO. EXTRA CLAIMS	RATE	CALCULATIONS
TOTAL	14	MINUS	44	0	x \$18 =	\$0.00
INDEPENDENT	2	MINUS	10	0	x \$88 =	\$0.00
		<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS			+ \$300 =	\$0.00
		TOTAL OF ABOVE CALCULATIONS				\$0.00
		<input type="checkbox"/> Reduction by 50% for filing by Small Entity				\$0.00
		<input type="checkbox"/> Recordation of Assignment			+ \$40 =	\$0.00
		TOTAL				\$0.00

- ☐ A check in the amount of **\$0.00** is attached.
- ☒ Credit card payment form is attached to cover the fees in the amount of **\$180.00**
- ☒ Please charge any additional Fees for the papers being filed herewith and for which no check or credit card payment is enclosed herewith, or credit any overpayment to deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.
- ☒ If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time may be charged to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

Gregory J. Maier
Registration No. 25,599

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 05/03)

I:\ATTY\SNS\21\210829\AM AF DUE 111104 & REL DUE 110904 CVR.DOC

Surinder Sachar
Registration No. 34,423



RECEIVED

NOV 10 2004

Technology Center 2600

"RESPONSE UNDER 37 CFR 1.116-
EXPEDITED PROCEDURE EXAMINING
GROUP 2615"

DOCKET NO: 210829US2

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :
TOMOFUMI KITAZAWA, ET AL. : EXAMINER: TRAN, NHAN T.
SERIAL NO: 09/901,098 :
FILED: JULY 10, 2001 : GROUP ART UNIT: 2615
FOR: IMAGING APPARATUS, AND :
METHOD AND DEVICE FOR SHAKE
CORRECTION IN IMAGING
APPARATUS

AMENDMENT AFTER FINAL

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

SIR:

In response to the Office Action of August 11, 2004, please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 8 of this paper.